

Snabblista Motor med std backslag	std backslag	Segelbåtsdrev SeaProp 60	Volvo Penta 110S	Volvo Penta 120S	Volvo Penta 130S	Yanmar SD20	Anpassade Motortassar	Lågt tråg	
BETA 14 TMC 40	63 900	98 500	x	62 900	69 900	69 900	5 332	Lågt tråg	
BETA 16 TMC 40	66 900	100 900	x	64 900	69 900	69 900	5 332	1 507	
BETA 20 TMC 40	71 900	104 900	74 900	71 500	74 900	74 900	5 332	1 507	
BETA 25 TMC 40	76 500	111 900	77 900	75 500	79 500	79 900	5 332	1 507	
BETA 30 TMC 40	84 900	116 900	83 500	85 500	85 500	86 900	5 332	2 234	
BETA 35 TMC 60	93 500	122 000	88 500	91 500	91 500	95 000	5 332	2 516	
Beta 38 TMC60	95 500	125 000	94 000	95 900	94 500	98 500	5 332	2 516	
Beta 43 TMC60/A	105 000	135 000	x	103 500	106 000	x	5 484	2 516	
Beta 45 TMC60/A	109 000	138 000	102 000	104 000	104 500	108 000	5 332	2 516	
Beta 50 TMC60/A	112 500	149 500	x	116 000	115 500	x	5 484	x	
Beta 60 TMC 345	142 000	160 000	x	x	102 000	x	5 484	x	
Beta 70 TM345	187 000	x	x	x	x	x	5 484	x	
Beta 75 TM345(H)	183 000	x	x	x	x	x	5 484	x	
Beta 85T TM345	208 000	x	x	x	x	x	5 484	x	
Beta 90 TM93	198 000	x	x	x	x	x	11 969	x	
Beta 90T TM93	217 000	x	x	x	x	x	5 484	x	
Beta 105T TM93	230 000	x	x	x	x	x	5 484	x	
Beta 115 TM93	249 500	x	x	x	x	x	5 484	x	

	Beta 14 13,5 hk @ 3600	Beta 16 16 hk @ 3600	Beta 20 20 hk @ 3600	Beta 25 25 hk @ 3600	Beta 30 35 hk @ 3600	Beta 35 35 hk @ 2800	Beta 38 38 hk @ 3600	Beta 45T 45 hk @ 3000	
Avgaskrökar									
Rostfri avgaskrök	1 682	1 682	1 682	1 682	1 682	1 682	1 682	1 682	Ingår / STD
High riser + 150 mm, (rostfri) B14-38	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355
High riser, cross over, + 200 mm (rostfri) B14-38	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355
High riser VP cross over, + 140 mm B14-38	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355	2 355
Annat									
Båkåtvänd sjövattpump Beta 30-38	x	x	x	x	831	831	831	831	Ingår / STD
Expansionskylvatten, sidomontage	1 736	1 736	1 736	1 736	1 736	1 736	1 736	1 736	1 736
Bränsleslang 1m x 2 för flytt av filter	233	233	233	233	233	233	233	233	233
Oljefilterkit, för flytt	3 153	3 153	3 153	3 153	3 153	3 153	3 153	3 153	3 153
1-spaks reglage	1 615	1 615	1 615	1 615	1 615	1 615	1 615	1 615	1 615
EPA certifiering	4 706	4 706	4 706	4 706	4 706	4 706	4 706	4 706	4 706
Generatorer									
Gen.r 75 Amp 12 V. - Polyvee, Beta 14-25	2 510	2 510	2 510	2 510	x	x	x	x	x
Gen.120 Amp 12 V. - Polyvee	3 660	3 660	3 660	3 660	1 816	1 816	1 816	1 816	1 816
Motortassar									
Anpassade motortassar	5 332	5 332	5 332	5 332	5 332	5 332	5 332	5 332	5 332
Motortassar för Volvo 2003	x	x	x	x	1 904	1 904	1 904	1 904	1 904
Motortassar för "Vega"	1 219	1 219	1 219	1 219	1 219	x	x	x	x
Motortassar för "Atomic 4"	914	914	914	914	914	x	x	x	x
Bakre motortassar "West Sail"	x	x	x	x	914	914	914	914	914

		Beta 43 43 hk @ 2800	Beta 50 50 hk @ 2800	Beta 60 56 hk @ 2700	Beta 70T 70 hk @ 2800	Beta 75 75 hk @ 2600	Beta 85T 85 hk @ 2800	Beta 90T 90 hk @ 2600	Beta 105T 105 hk @ 2800	Beta 115T 115 hk @ 2800
Utan Backslag	Typ									
Bobtail		98 000	107 000	119 000	151 500	138 500	175 700	165 600	172 800	189 700
Bobtail (Borg Warner)		103 500	117 000	129 000	155 000	142 300	179 400	168 900	175 900	192 700
Backslag										
TMC60/A - 2.0 / 2.45 : 1	Mek.	105 000	112 500	x	x	x	x	x	x	x
TMC260 (INTE MED I 2019 PRISLISTA)	Mek.	0	0	142 000	x	x	x	x	x	x
* TM93 - 2.09 / 2.4 / 2.77 : 1	Hyd.	x	x	x	182 000	180 000	206 500	217 000	230 000	249 500
TM93A 8° down angle - 2.09 / 2.4 : 1	Hyd.	x	x	x	182 000	180 000	207 000	231 000	243 000	256 500
TM345 - 2.0 / 2.47 : 1	Hyd.	125 000	118 000	125 000	187 000	183 000	208 000	x	x	x
TM345A 8° vinklat - 2.0 / 2.45 : 1	Hyd.	126 000	121 000	146 000	189 000	193 000	227 000	x	x	x
PRM150 - 2.09 / 2.83^^ : 1	Hyd.	127 000	132 000	144 500	x	x	x	x	x	x
PRM280 - 1.96 / 2.94 : 1	Hyd.	137 500	146 000	158 500	174 000	171 000	198 700	195 500	208 200	214 700
PRM260C - In line* 1.96 / 2.94 : 1	Hyd.	140 000	132 000	141 000	187 600	185 000	213 000	209 500	222 000	x
PRM500 - 1.94 / 2.57 / 2.9 : 1	Hyd.	x	x	149 600	185 000	182 500	210 200	206 900	219 500	225 500
ZF25M - 1.88 / 2.27 / 2.74 : 1 (Mekaniskt)	Mek.	131 500	124 500	127 700	x	x	x	x	x	x
ZF25 - 1.97 / 2.8 : 1 (Hydrauliskt)	Hyd.	136 500	136 100	142 900	x	179 000	x	x	x	x
25A 8° V.- 1.92 / 2.29 / 2.71 : 1 (Hydrauliskt)	Hyd.	136 500	136 100	142 900	x	179 000	x	x	x	x
ZF45/1 - 2.2 / 2.5 / 3.0 : 1	Hyd.	x	x	x	186 500	185 900	210 800	202 600	205 900	223 100
ZF45A 8° vinklat - 2.03 / 2.43 : 1	Hyd.	x	x	x	186 500	185 900	210 800	202 600	205 900	223 100
ZF15MIV 15° - 2.13 : 1*	Mek.	149 500	142 950	x	x	x	x	x	x	x
ZF63IV 12° - 1.99 / 2.48 : 1	Mek.	167 500	161 000	182 900	208 000	185 000	205 500	220 500	226 700	243 500
Segelbåtsdrev (för tillbehör se sista sidan)										
Motor komplett med Sea Prop 60		135 000	149 500	160 000	x	x	x	x	x	x
med adapter för VP 110S		x	x	x	x	x	x	x	x	x
med adapter för VP120S		103 500	116 000	x	x	x	x	x	x	x
med adapter för VP 130S		106 000	115 500	102 000	x	x	x	x	x	x
med adapter för Bukh		x	x	x	x	x	x	x	x	x
med adapter för Yanmar SD20		x	x	x	x	x	x	x	x	x

